



**With Docker and k8s, this is not  
your grandparents' infra anymore!**

Denis Roy  
Director, IT Services  
Eclipse Foundation Inc.  
[denis.roy@eclipse-foundation.org](mailto:denis.roy@eclipse-foundation.org)

# Meet the team



Mikaël Barbero, Build Team  
- is at EclipseCon -



Christophe Guindon, Web Dev  
- is not at EclipseCon -



Frederic Gurr, Build Team  
- is at EclipseCon -



Me  
- I am here -



Eric Poirier, Web Dev  
- is at EclipseCon -



Matt Ward  
- is not at EclipseCon -

# IT Services Provided - 2018


User Community		Projects/Committers	
Websites: eclipse.org, help, Wiki, etc	Bug reporting: Bugzilla, GitHub Issues	Build Services: CBI (Jenkins, Nexus, Sonar, Best Practices)	OpenID Connect authentication for Third Party apps  Project API
Code contributing: Git/Gerrit	Discussion: Forums, Mailing Lists	Build Infra: Kubernetes Cluster (Red Hat OpenShift)	GitHub Integration
Downloads  User Storage Service	Discovery: Eclipse Marketplace  PMI: Project Management Interface	Code Signing, App Packaging	Web Design: Drupal, Hugo, PHP, JS, HTML
Webmaster support!			

# Your grandparents had this - circa 2005

User Community		Projects/Committers
Websites: eclipse.org, help, etc	Bug reporting: Bugzilla	Good Intentions?
Code contributing: CVS	Discussion: Newsgroups, Mailing Lists	
Slow Downloads		
Webmaster support!		


# Code

Your grandparents did this



CVS


Today we have this



Gerrit Code Review to improve collaboration

# Builds


Your grandparents did this



```
droy : bash — Konsole
File Edit View Bookmarks Settings Help
[droy@lanhost10 ~]$ md5sum eclipse-1.0.0.win32.zip
79c88355adacc7a72440f30d440d2372  eclipse-1.0.0.win32.zip
[droy@lanhost10 ~]$
```

MD5 checksums of binaries


Today we have this



SHA-512 checksums  
Code Signing via CBI (Common Build Infra)



# Builds - circa 2005

Your grandparents did this



Ant scripts on laptops, no public  
Visibility, difficult to reproduce

Today we have this




**RED HAT**  
**OPENSIFT**  
Container Platform

Maven/Tycho with Jenkins on Red Hat OpenShift visible  
to all (<https://jenkins.eclipse.org>)


# Builds - circa 2012

Your grandparents had this



Standalone Jenkins Instance Per Project

Today we have this



Jenkins Instance Per Project, running on scalable OpenShift


# CBI 3.0: Cloudbees Jenkins Enterprise

200+ Jenkins instances -  
~40 instances on new CJE

35 new in the last month!

Standalone JIPP  
migrations start shortly

Powered by  
Docker/Kubernetes via Red  
Hat OpenShift



S	W	Name ↓	M	Op	Job Count	Queue Size	Version	Up to date
		<a href="#">bridgeiot</a>		<input type="checkbox"/>	0	0	2.138.2.2	
		<a href="#">ca</a>		<input type="checkbox"/>	3	0	2.138.2.2	
		<a href="#">cbi</a>		<input type="checkbox"/>	57	0	2.138.2.2	
		<a href="#">cognicrypt</a>		<input type="checkbox"/>	1	3	2.138.2.2	
		<a href="#">cu</a>		<input type="checkbox"/>	4	0	2.138.2.2	
		<a href="#">eib</a>		<input type="checkbox"/>	5	0	2.138.2.2	
		<a href="#">ei</a>		<input type="checkbox"/>	5	0	2.138.2.2	
		<a href="#">epf</a>		<input type="checkbox"/>	1	0	2.138.2.2	
		<a href="#">es</a>		<input type="checkbox"/>	2	0	2.138.2.2	
		<a href="#">glassfish</a>		<input type="checkbox"/>	21	0	2.138.2.2	
		<a href="#">interceptors</a>		<input type="checkbox"/>	2	0	2.138.2.2	
		<a href="#">jacc</a>		<input type="checkbox"/>	2	0	2.138.2.2	
		<a href="#">jaf</a>		<input type="checkbox"/>	6	0	2.138.2.2	
		<a href="#">jakartaee-platform</a>		<input type="checkbox"/>	0	0	2.138.2.2	
		<a href="#">jakartaee-stable</a>		<input type="checkbox"/>	9	0	2.138.2.2	


# CBI 3.0: What's included?

Each Eclipse Project has access to one Jenkins instance (JIPP), including the following:

- (1) Jenkins instance, with (1) Resources Pack
  - Membership-sponsored projects may allocate more resources (see below)
- Digital signing Service: Java JAR, Java Cryptography Extensions, Windows Portable Executable with Microsoft Authenticode, macOS application bundles.
- Packaging service: Apple Disk Image (.dmg), Linux Flatpak
- Disk space: Ephemeral for builds, permanent for release builds.
- (1) 3.75G/30G Linux Virtual Server (if needed) (courtesy of Microsoft Azure)
- Access to worldwide download mirrors

CBI is an optional offering. Projects are not required to use this!

# Jenkins Pipeline Builds



Next generation CI/CD - building Eclipse projects on the new CBI build farm

Frederic Gurr - Tomorrow 2pm Theater Stage

# Bug Tracker

Your grandparents had this

Today we have this



# Bug Tracker

Your grandparents had this

Today we have this



Bugzilla



Bugzilla

# Bug Tracker

Your grandparents had this




Today we have this



# Interfacing

Your grandparents did this



Third-party apps and sites that needed Eclipse web data had to use complex and error-prone screen scraping

Today we have this

The screenshot shows a web browser at the URL <https://api.eclipse.org>. The page features the Eclipse Foundation logo and a sidebar with a menu: Overview, User Profiles, Eclipse USS, Fetch Blobs, Search Blobs, Delete Blobs, Update/Create Blobs, and Download. The main content area is titled 'Eclipse RESTful API' and includes a description of the resources, a link to the git repository, and contact information for Christopher Guindon. A section titled 'OTHER RELATED REST APIS' lists several related APIs with links to their documentation: Eclipse Bugzilla, Eclipse Gerrit, Eclipse Jenkins, Eclipse Marketplace, and Eclipse Project Management Infrastructure (PMI). A 'RATE LIMIT' section is also visible. In the top right corner, there is a circular badge with the text 'OAUTH 2'.

<https://api.eclipse.org> for RESTful access to Eclipse data

OAuth2 for authentication

# Data Privacy

Your grandparents were OK with this

Today we have this

“Privacy is important and we will do the right thing”

## GDPR

Cookie Policy

Eclipse Hosted Services Privacy and  
Acceptable Usage Policy


# GDPR: Policies At A Glance

- Privacy and Transparency a must
- If your service stores Personally Identifiable Information (PII) data you must subscribe to [eclipse.org-gdpr@eclipse.org](mailto:eclipse.org-gdpr@eclipse.org)
- If you need PII, collect only as much information as required and to securely dispose of it when it isn't
- To take reasonable security precautions to prevent unauthorized access
- To obtain explicit consent by the user before you start using cookies. This requirement also includes cookies used by 3rd party services such as, but not limited to: Google Tag Manager, and social media widgets.
- Google Analytics is the only approved tool for collecting user data.
  - a. All committers on a project must have access to the data collected for that project upon request
  - b. Eclipse Webmaster ([webmaster@eclipse-foundation.org](mailto:webmaster@eclipse-foundation.org)) must be an administrator on all Google Analytics properties
  - c. Google Analytics IP Anonymization feature must be turned on
  - d. Projects must ensure that they are not transmitting PII to Google Analytics
  - e. Projects must accept and follow Google Analytics Terms of Service
- ensure all web pages related to operation of the server use either the standard Eclipse.org footer template, or a footer that prominently contains notices.

THIS IS NOT THE COMPLETE POLICY!

# Project Websites

Your grandparents did this



Text-based websites with frames



Today we have this

QuickSilver Theme:  
<https://github.com/eclipsefdn/hugo-solstice-theme>




Dynamic, visually appealing and responsive sites  
using modern frameworks

# Nginx: efficient load balancing




# Looking forward

Moving away from  
purpose-specific VMs



# Your grandparents would be proud



# Questions?

Please login and rate this talk

**<https://eclipsecon.org/>**